

PVC

PRODUCT CATALOGUE



PR05003




PR06003



PR06004




PR07005



PR08106



PROSLIDE70




PROSLIDE84



READY MADE DOOR & WINDOW

One Side Opening Windows
Tilt and Turn PVC Windows
Transom PVC Windows
Sliding PVC Doors and Windows
Volkswagen Schiebeflügel Fenster
Arched PVC Windows
Bay PVC Windows
PVC Doors
PVC Entrance Doors
French Doors
Balcony PVC Doors
WC PVC Doors



"Her Ev'in
Hakki"



General Features

This model of window can be opened or closed on the vertical hinges of the wings to the right or left.



Sliding PVC Doors and Windows



General Features

Sliding windows feature slim vertical lines for a clean, elegant look and are available in two and three sliding combinations and preferred in terraces and lounges. Full screen glass provides unobstructed views and maximum ventilation.

Dual brass rollers and fully-integrated lift rails ensure smooth operation and cam locks provide excellent security. Reinforced sashes glide smoothly and remove easily for cleaning. Dual sliding sashes allow both sides of the door/window can be opened at the same time.

Single or double glass usable, Glazing bead are specially designed to be sloped, this design prevents dust accumulation, closed rail channels provides easy to cleaning and sash adapter profile prevents ingress of dust.

Ideal for wide and narrow places, it can be customizable with colors and pattern options.

=====



General Features

Transom window has single wing and opening single direction to horizontal axis. It is mostly used in bathrooms, toilets and roofs.

The scissors are mounted on the window wing and can be opened as far as the opening of the scissors. The scissors can be deactivated on request. It can used with latch or window handle and can be customizable with colors and pattern options.

"Her Evin
Hakki"

Çift
Kanat

Çift
Yön
Açılım

Sınırsız
Renk ve
Desen



General Features

Tilt and Turn windows have extra functions in addition to one side opening windows to ventilate your spaces and are often preferred.

Ideal for wide and narrow places, it can be customizable with colors and pattern options. They are easiest type for applications and use.

=====

"Her Evin
Hakki"

Çift
Kanat

Tek
Yön
Açılım

Sınırsız
Renk ve
Desen



General Features

Tilt and Turn windows have extra functions in addition to one side opening windows to ventilate your spaces and are often preferred.

"Her Evin
Hakki"



General Features

Tilt and Turn windows have extra functions in addition to one side opening windows to ventilate your spaces and are often preferred.

Ideal for wide and narrow places, it can be customizable with colors and pattern options. They are easiest type for applications and use.

=====

"Her Evin
Hakki"



General Features

Tilt and Turn windows have extra functions in addition to one side opening windows to ventilate your spaces and are often preferred.

Ideal for wide and narrow places, it can be customizable with colors and pattern options. They are easiest type for applications and use.

"Her Evin
Hakki"



Volkswagen
(Paralel)
Sürme



Sınırsız
Renk ve
Desen



General Features

Volkswagen (VW) PVC door or window could be open by special pull and slide mechanism on a rail, wings moves comfortable and easy, which has a perfect seal with rubber.

Volkswagen system ensures the best thermal and acoustic insulation of all types of sliding systems with high compression of the wing to the frame.

Maximum size for VW systems could be 150 * 240cm. It preferred in entrance doors, there is a disadvantage as the threshold of the doors is too high.

It can be customizable with colors and pattern options.

=====

"Her Evin
Hakki"



Cumba
PVC
Pencere



Sınırsız
Renk ve
Desen



General Features

Bay windows are a combination of three or more angled windows that provides unique style and dimensions to your home.

The versatility of window frame allows you to choose the style of window for each window opening to meet your specific needs.

All windows are available in custom sizes to suit your needs and can be customizable with colors and pattern options.

You have endless options and you can customize your doors and windows.

"Her Evin
Hakki"



Sınırsız
Renk ve
Desen



General Features

Bay windows are a combination of three or more angled windows that provides unique style and dimensions to your home.

The versatility of window frame allows you to choose the style of window for each window opening to meet your specific needs.

All windows are available in custom sizes to suit your needs and can be customizable with colors and pattern options. You have endless options and you can customize your doors and windows.

=====

"Her Evin
Hakki"



Sınırsız
Renk ve
Desen



General Features

PVC doors that can be opened from the inside and outside can be equipped with extra locking features. Many different types of door handles can be used. The cylinder locking system can be used in combination with or without thresholds.

You have endless options and you can customize your doors with optional colors and patterns.

"Her Evin Hakkı"



Fransız
Tip
Kapı



Sınırsız
Renk ve
Desen



General Features

French doors are a good looking alternative to standard back doors. They produced inward or outward open styles.

French doors consisting of two wings (sashes) are pressed downward the handle to open the wing, second wing can be opened by pulling the hidden lock at the bottom of the second wing.
to open French doors which consisting of two wings (sashes), press downward the handle, second wing can be opened by pulling the hidden lock at the bottom of the second wing.

They provides more daylight with floor to ceiling glass panes, we have been designed French doors for modern living and it can be customizable with colors and pattern options.

=====



"Her Evin Hakkı"

Sınırsız
Renk ve
Desen



PVC
Giriş
Kapısı



General Features

The PVC entrance doors that we produce are not only a design element, they work reliably and provide protection against adverse weather conditions and sound insulation. They offer long life and remarkable appearance with extra safety options to protect against heat insulation and anti-theft.

PVC doors can be customized with different styles and colors. Any kind of glass, PVC or aluminum panel could be used, provides an unobstructed use with aluminum threshold application, they can be effortlessly integrated with the old structure with its easy mounting feature.



General Features

The PVC entrance doors that we produce are not only a design element, they work reliably and provide protection against adverse weather conditions and sound insulation. They offer long life and remarkable appearance with extra safety options to protect against heat insulation and anti-theft.

PVC doors can be customized with different styles and colors. Any kind of glass, PVC or aluminum panel could be used, provides an unobstructed use with aluminum threshold application, they can be effortlessly integrated with the old structure with its easy mounting feature.

"Her Evin
Hakki"



Balkon
Kapı



Balkon
Kapı

Sınırsız
Renk ve
Desen



General Features

Balcony doors opening like the windows and the handles located only inside, they produced with or without tresholds.

It is not possible to control the handle from the outside, it can be customizable with colors and pattern options.

=====

"Her Evin
Hakki"



WC
Kapı



Sınırsız
Renk ve
Desen



General Features

WC PVC Doors can be lockable only inside with key or without key system and they are equipped with door handles inside and outside. Optionally produced with or without threshold.

They can be customizable with colors and pattern options.


PR05003

50 MM, 3 CHAMBERS

Product Description

Allows your area to get more light, makes room more bright.
Especially designed for use in narrow walls or containers.
Good appearance with round corner design, looks smooth and peaceful.
Easy to install with less weight, easy to move and installation.
It saves but not loss any function.

1. 50mm profile width
2. 3 Chambered system which improves insulation and durability
3. Decorative glazing bead with PCE gasket
4. External wall with 45° chamfer which prevents dust and dirt, provides aesthetic appearance
6. Slope which provides maximum water disposal
7. External wall thickness in European Standards
8. Between 4mm - 22mm glass application possibility
9. One-type reinforcement steel
10. One-type seal
11. Unlimited lamination color option



Lamination Colors


For more color, please contact with us!




Certificates

All products are under quality management system







PRO531
Frame Profile




PRO83
Renovation Frame




PRO532
Sash Profile




PRO535
Inward Door Profile




PRO533
Mullion Profile



PRO83P
Adjustable Trim Profile




PRO500
4-6 mm Single Glass G.Bead




PRO703
20-22 mm Double Glass G.Bead


SECTION DETAILS




Frame - Sash
Connection Section



Renovation Frame - Sash
Connection Section



Frame - Inward Opening
Door Sash
Connection Section



Sash - Mullion - Sash
Connection Section

PRO6003

60 MM, 3 CHAMBERS

Product Description

It is offered as cost and performance product, meanwhile appeals to the eye with decorative looks and more elegant design than its peers. It adds value to your place. It has faultless and aesthetic desing that can cater to every taste with decorative and self-gasket glazing bead. Support aluminum threshold and many auxiliary profile, has functionality that you can use each project.

1. 60mm profile width
2. 3 Chambered system which improves insulation and durability
3. Decorative glazing bead with PCE gasket
4. External wall with 45° chamfer which prevents dust and dirt, provides aesthetic appearance
6. Slope which provides maximum water disposal
7. External wall thickness in European Standarts
8. Between 4mm - 30mm glass application possibility
9. One-type reinforcement steel
10. One-type seal
11. Unlimited lamination color option

Lamination Colors

For more color, please contact with us!




Certificates

All products are under quality management system




PRO6003


60 MM
3 CHAMBER




PRO51
Frame Profile




PRO52
Sash Profile




PRO53
Mullion Profile




PRO81
Renovation Frame Prf.




PRO82
Renovation Frame Prf.




PRO521
Outward Sash Profile




PRO10
Outward Door Profile




PRO04
Inward Door Profile



PRO12
French Casement Mullion Prf.



PRO05
20-22 mm Double Glass G.Bead



PRO06
4-6 mm Single Glass G.Bead




PRO07
28-30 mm Triple Glass G.Bead




PRO08
24-26 mm Double Glass G.Bead

PRO6003


SECTION DETAILS



Frame - Sash
Connection Section



Frame - Inward Opening Door Sash
Connection Section



Sash - Mullon - Sash Connection Section

PR06004

60 MM, 4 CHAMBERS

Product Description

It is designed for more heat and sound insulation, meanwhile it has a decorative appearance and more elegant design than its counterparts. It adds value to your place. It has faultless and aesthetic desing that can cater to every taste with decorative and self-gasket glazing bead. Support aluminum threshold and many auxiliary profile, has functionality that you can use each project.

1. 60mm profile width
2. 4 Chambered system which improves insulation and durability
3. Decorative glazing bead with PCE gasket
4. External wall with 45° chamfer which prevents dust and dirt, provides aesthetic appearance
6. Slope which provides maximum water disposal
7. External wall thickness in European Standarts
8. Between 4mm - 30mm glass application possibility
9. One-type reinforcement steel
10. One-type seal
11. Unlimited lamination color option

Lamination Colors

For more color, please contact with us!




Certificates

All products are under quality management system




PR06004


60 MM
4 CHAMBER




PRO001
Frame Profile




PRO002
Sash Profile




PRO003
Mullion Profile



PRO10
Outward Door Profile




PRO004
Inward Door Profile



PRO12
French Casement Mullion Prf.




PRO005
20-22 mm Double Glass G.Bead




PRO006
4-6 mm Single Glass G.Bead




PRO007
28-30 mm Triple Glass G.Bead




PRO008
24-26 mm Double Glass G.Bead



Frame - Sash
Connection Section



Frame - Inward Opening Door Sash
Connection Section



Sash - Mullion - Sash Connection Section

PRO7005

70 MM, 5 CHAMBERS

Product Description

It is designed for high-rise buildings or projects where heat and sound insulation is important, meanwhile it has a decorative appearance and more elegant design than its counterparts. It adds value to your place. It has faultless and aesthetic desing that can cater to every taste with decorative and self-gasket glazing bead.

1. 70mm profile width
2. 5 Chambered system which improves insulation and durability
3. Decorative glazing bead with PCE gasket
4. External wall with 45° chamfer which prevents dust and dirt, provides aesthetic appearance
6. Slope which provides maximum water disposal
7. External wall thickness in European Standarts
8. Between 4mm - 30mm glass application possibility
9. One-type reinforcement steel
10. One-type seal
11. Unlimited lamination color option


Lamination Colors

For more color, please contact with us!



Certificates

All products are under quality management system



PRO7006

70 MM, 6 CHAMBERS WITH STANDARD AND DRAIN SASH OPTIONS




PRO7005


70 MM
5 CHAMBER

PRO7005


TECHNICAL DRAWINGS




PRO711
Frame Profile - 42mm




PRO710
Frame Profile - 48mm




PRO714
Renovation Frame Prf.




PRO712
Sash Profile




PRO715
Inward Door Profile




PRO716
Outward Door Profile




PRO713
Mullion Profile




PRO717
French Casement Mullion Prf.




PRO720
Frame Profile (6 Chambers)




PRO723
Sash Profile (6 Chambers)




PRO724
Drain Sash Profile (7 Chambers)



PRO700
4-6 mm Single Glass G.Bead




PRO701
20-22 mm Double Glass G.Bead




PRO702
24-26 mm Double Glass G.Bead

PRO7005


SECTION DETAILS




Frame 42mm - Sash
Connection Section




Frame 48mm - Sash
Connection Section




Frame - Drain Sash
Connection Section



Frame - Inward Door Sash
Connection Section



Sash - Mullion - Sash
Connection Section



PRO7006
Frame (6 Chambers) - Drain Sash
Connection Section

PR08106

81 MM, 6 CHAMBERS

Product Description

The well-considered design and geometry that combined with latest technologies to obtain excellent statics, long-term window function retention and hassle-free operation. PR08106 series window system has innovative multi-chamber geometry and supply excellent thermal insulation, silence, security and unique aesthetics. That serie is a combination of state-of-the-art technical solutions to ensure above-average properties.

1. 81mm profile width
2. 6 Chambered system which improves insulation and durability
3. Decorative glazing bead with PCE gasket
4. External wall with 45° chamfer which prevents dust and dirt, provides aesthetic appearance
6. Slope which provides maximum water disposal
7. External wall thickness in European Standards
8. Between 24mm - 32mm glass application possibility
9. One-type reinforcement steel
10. One-type seal
11. Unlimited lamination color option


Lamination Colors

For more color, please contact with us!




Certificates

All products are under quality management system




PR08106


81 MM
6 CHAMBER




PRO8601
Frame Profile




PRO8611
Sash Profile



PRO8621
Mullion Profile



PRO8631
Inward Opening Door Profile



PRO8622
French Casement Mullion Prf.




PRO8641
32mm Triple Glass Glazing Bead
for Sash Profiles
PRO8611, PRO8631



PRO8642
24mm Double Glass Glazing Bead
for Sash Profiles
PRO8611, PRO8631




PRO8643
32mm Triple Glass Glazing Bead
for Frame and Mullion Profiles
PRO8601, PRO8621




PRO8644
24mm Double Glass Glazing Bead
for Frame and Mullion Profiles
PRO81601, PRO8621

PR08106


SECTION DETAILS




Frame - Sash Connection Section



Frame - Inward Opening Door Sash
Connection Section



Sash - Mullion - Sash



Mullion - Sash - Fix

PROSLIDE-70

70 MM, 3 CHAMBERS

Product Description

It is designed to be used in projects which sliding window and door needed, meanwhile it has a decorative appearance and more elegant design than its counterparts. It adds value to your place. Through to the closed rail ducts, it remain clean for a long time. Produced with TPE gasket and self-gasket provides sealing with corner welds.

1. Two type sash profile W:48mm H:80mm and W:48mm H:100mm
2. 3 Chambered system which improves insulation and durability
3. Decorative glazing bead with PCE gasket
4. External wall with 45° chamfer which prevents dust and dirt, provides aesthetic appearance
6. Slope which provides maximum water disposal
7. External wall thickness in European Standarts
8. Between 4mm - 22mm glass application possibility
9. One-type reinforcement steel
10. One-type seal
11. Unlimited lamination color option



Lamination Colors






















For more color, please contact with us!



Certificates


All products are under quality management system






PROSLIDE-70


SECTION DETAILS




Double Sliding Frame - Sliding Sash



Double Sliding Frame - Sliding Sash with Flynet



Fixed Sliding Frame - Sliding Sash



Triple Sliding Frame - Sliding Sash

PROSLIDE-84

84 MM, 3 CHAMBERS

Product Description

It is designed to be used in projects which sliding window and door needed, meanwhile it has a decorative appearance and more elegant design than its counterparts. It adds value to your place. Through to the closed rail ducts, it remain clean for a long time.

Produced with TPE gasket and self-gasket provides sealing with corner welds.

1. Two type sash profile W:60mm H:80mm, W:60mm H:100mm
2. 3 Chambered system which improves insulation, durability
3. Decorative glazing bead with PCE gasket
4. External wall with 45° chamfer which prevents dust and dirt, provides aesthetic appearance
6. Slope which provides maximum water disposal
7. External wall thickness in European Standards
8. Between 4mm - 30mm glass application possibility
9. One-type reinforcement steel
10. One-type seal
11. Unlimited lamination color option


Lamination Colors

For more color, please contact with us!




Certificates

All products are under quality management system




PROSLIDE-84


84 MM
3 CHAMBER




PRO20
Sliding Frame Profile




PRO23
Fixed Sliding Frame Profile




PRO21
Sliding Door Sash Profile




PRO24
Sliding Door Sash Profile




PRO22 ** for PRO21
Sliding Sash Profile Adapter



PRO25 ** for PRO24
Sliding Sash Profile Adapter




PRO05
20-22 mm Double Glass G.Bead




PRO06
4-6 mm Single Glass G.Bead




PRO07
28-30 mm Triple Glass G.Bead




PRO08
24-26 mm Double Glass G.Bead




PRO28
Double Sliding Frame
Trim Profile (Alum.)



PRO43
Fixed Sliding Frame
Trim Profile (Alum.)




PRO41
Sliding Sash Profile
Locking Plate (Alum.)




PRO27
Sliding Rail Profile
(Alum.)

PROSLIDE-84


SECTION DETAILS




Sliding Frame - Sliding Sash 80mm




Sliding Frame - Sliding Sash 100mm




Fixed Sliding Frame - Sliding Sash




PRO30
Panel (Lambri) Profile




PRO31
L Trim Profile 60x100




PRO14
Rising Profile - 30mm
(60mm Series)




PRO35
T Trim Profile
(60mm Series)




PRO38
Nailed Trim Profile
(60mm Series)




PRO39
Extension Trim Profile
(70mm Series)




PRO34
Coupling Profile - 60mm




PRO79
Coupling Profile - 70mm




PRO78
Coupling Profile for Wall Panel
(60-70mm Series)




PRO33
Corner Profile - 60mm




PRO331
Corner Profile - 70mm




PRO36
Box Profile - 60x60mm
(60mm Series)




PRO80
Box Profile - 70x70mm
(70mm Series)




PRO32
Corner Turning Pipe
(60-70mm Series)




10 x 30 x 10
PRO201, PRO202
PRO232, PRO233




12 x 23 x 12
PRO531, PRO532
PRO23, PRO231




20 x 23 x 20
PRO212




20 x 15 x 20
PRO533




18 x 30 x 18
PRO81, PRO82
PRO714




23 x 28 x 23
PRO51, PRO52, PRO53
PRO01, PRO02, PRO03
PRO710, PRO711, PRO712
PRO713, PRO20, PRO21
PRO211



35 x 23 x 35
PRO535



38 x 30 x 38
PRO10, PRO715
PRO716



55 x 28 x 55
PRO04



“Widen Your Horizon”



PVC Systems for Windows and Doors

ALPLAM GROUP

Factory: izmir st. No:16 Kalic Cigli 35620 IZMIR TURKEY

Tel: +90 535 945 26 54 Whatsapp

Fax: +90 232 832 11 28

Email: levent@alplam.com.tr

Web: www.alplam.com.tr

